

Petrol THC 1 Gram Cartridge

Sample ID: 2512AFL2118.7876

Internal Lab ID: ATL-33516

Client

Strain: Blue Zushi

Petrol THC

Matrix: Concentrates & Extracts

Received: 12/04/2025

Lic. # 2026-N-2229181

Type: Distillate

Completed: 12/11/2025

5935 Ravenswood Rd Suite E19

Unit Weight: 1 g

Batch#: P1GC3120425

Fort Lauderdale Florida 33312



Summary

Test

Date Tested

Result

Batch

Complete

Cannabinoids

12/05/2025

Complete

Basic Potency

Complete

ND	ND	72.507%
Total THC	Total CBD	Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Analyte	LOD	LOQ	Result	Result
	%	%	%	mg/unit		%	%	%	mg/unit
CBDVa	0.007	0.020	ND	ND	CBN	0.007	0.020	0.789	7.89
CBDV	0.007	0.020	ND	ND	Δ 9-THC	0.007	0.020	ND	ND
CBDa	0.007	0.020	ND	ND	Δ 8-THC	0.007	0.020	71.718	717.18
CBGa	0.007	0.020	ND	ND	(6aR,9S)-d10-THC	0.007	0.022	ND	ND
CBG	0.007	0.020	ND	ND	(6aR,9R)-d10-THC	0.008	0.023	ND	ND
CBD	0.007	0.020	ND	ND	CBC	0.007	0.020	ND	ND
THCV	0.007	0.020	ND	ND	CBCa	0.007	0.020	ND	ND
Δ 8-THCV	0.007	0.022	ND	ND	THCa	0.007	0.020	ND	ND
THCVa	0.007	0.020	ND	ND	Total			72.507	725.07

Document ID: CoA-1 Potency Rev. 6, Test Method: TM-2


Date Tested: 12/05/2025

Equations: Total Active THC = 9THC + (0.877 * THCA), Total Active CBD = CBD + (0.877 * CBDA), Potency via HPLC

ISO/IEC 17025:2017 Accreditation No. 118038

NT Not Tested Document ID: Moisture Content	NT Not Tested Document ID: Water Activity	Not Tested Document ID: Foreign Matter
---	---	---




Lise Berthe-Laurent
Laboratory Director
12/11/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.