

## Petrol THCA 2G preroll

Sample ID: 2509AFL1559.6268  
Strain: Petrol THCA 2G JET Z preroll  
Matrix: Plant  
Type: Flower - Cured  
Unit Weight: 1.46 g

Internal Lab ID: ATL-31939  
Received: 09/03/2025  
Completed: 09/08/2025  
Batch#: PTFQT091525

Client  
Petrol  
Lic. #  
2722 Griffin Road Unit 118  
Dania Beach, FL 33312



### Summary

| Test         | Date Tested | Result   |
|--------------|-------------|----------|
| Batch        | 09/03/2025  | Pass     |
| Cannabinoids | 09/03/2025  | Complete |
| Moisture     | 09/03/2025  | Pass     |

### Basic Potency

Complete

| 29.238%          |       |        |         | 0.084%           |       |        |         | 45.095%            |  |  |  |
|------------------|-------|--------|---------|------------------|-------|--------|---------|--------------------|--|--|--|
| Total THC        |       |        |         | Total CBD        |       |        |         | Total Cannabinoids |  |  |  |
| Analyte          | LOQ   | Result | Result  | Analyte          | LOQ   | Result | Result  |                    |  |  |  |
|                  | %     | %      | mg/unit |                  | %     | %      | mg/unit |                    |  |  |  |
| CBDVa            | 0.004 | 0.062  | 0.90    | CBN              | 0.004 | ND     | ND      |                    |  |  |  |
| CBDV             | 0.004 | ND     | ND      | $\Delta^9$ -THC  | 0.004 | 0.297  | 4.34    |                    |  |  |  |
| CBDa             | 0.004 | 0.096  | 1.39    | $\Delta^8$ -THC  | 0.004 | ND     | ND      |                    |  |  |  |
| CBGa             | 0.004 | 11.176 | 163.16  | (6aR,9S)-d10-THC | 0.005 | ND     | ND      |                    |  |  |  |
| CBG              | 0.004 | 0.500  | 7.30    | (6aR,9R)-d10-THC | 0.005 | ND     | ND      |                    |  |  |  |
| CBD              | 0.004 | ND     | ND      | CBC              | 0.004 | 0.161  | 2.35    |                    |  |  |  |
| THCV             | 0.004 | ND     | ND      | CBCa             | 0.004 | 0.176  | 2.57    |                    |  |  |  |
| $\Delta^8$ -THCV | 0.005 | ND     | ND      | THCa             | 0.004 | 33     | 481.8   |                    |  |  |  |
| THCVa            | 0.004 | ND     | ND      | Total            |       | 45.095 | 663.81  |                    |  |  |  |

Document ID: CoA-1 Potency Rev. 6, Test Method: TM-2

Date Tested: 09/03/2025

Equations: Total Active THC = 9THC + (0.877 \* THCA), Total Active CBD = CBD + (0.877 \* CBDA)

|                                                                                                          |                                                           |                                                     |
|----------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|-----------------------------------------------------|
| <b>9.1%</b><br>Pass<br>Document ID: CoA-8 Moisture Content Rev. 2, Test Method: TM-6<br>Moisture Content | <b>NT</b><br>Not Tested<br>Document ID:<br>Water Activity | <b>Not Tested</b><br>Document ID:<br>Foreign Matter |
|----------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|-----------------------------------------------------|



  
Paulo Gonzalez  
Laboratory Director  
09/08/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.