

Petrol THCA 2G preroll

Sample ID: 2509AFL1559.6268

Internal Lab ID: ATL-31939

Client

Strain: Petrol THCA 2G OCTANE BUTTER preroll

Petrol

Matrix: Plant

Received: 09/03/2025

Lic. #

Type: Flower - Cured

Completed: 09/08/2025

2722 Griffin Road Unit 118

Unit Weight: 1.46 g

Batch#: PTFQT091525

Dania Beach, FL 33312



Summary

Test	Date Tested	Result
Batch	09/03/2025	Pass
Cannabinoids	09/03/2025	Complete
Moisture	09/03/2025	Pass

Basic Potency

Complete

29.238% Total THC	0.084% Total CBD	45.095% Total Cannabinoids
-----------------------------	----------------------------	--------------------------------------

Analyte	LOQ	Result	Result	Analyte	LOQ	Result	Result
	%	%	mg/unit		%	%	mg/unit
CBDVa	0.004	0.062	0.90	CBN	0.004	ND	ND
CBDV	0.004	ND	ND	Δ^9 -THC	0.004	0.297	4.34
CBDa	0.004	0.096	1.39	Δ^8 -THC	0.004	ND	ND
CBGa	0.004	11.176	163.16	(6aR,9S)-d10-THC	0.005	ND	ND
CBG	0.004	0.500	7.30	(6aR,9R)-d10-THC	0.005	ND	ND
CBD	0.004	ND	ND	CBC	0.004	0.161	2.35
THCV	0.004	ND	ND	CBCa	0.004	0.176	2.57
Δ^8 -THCV	0.005	ND	ND	THCa	0.004	33	481.8
THCVa	0.004	ND	ND	Total		45.095	663.81

Document ID: CoA-1 Potency Rev. 6, Test Method: TM-2

Date Tested: 09/03/2025

Equations: Total Active THC = 9THC + (0.877 * THCA), Total Active CBD = CBD + (0.877 * CBDA)

9.1% Pass Document ID: CoA-8 Moisture Content Rev. 2, Test Method: TM-6 Moisture Content	NT Not Tested Document ID: Water Activity	Not Tested Document ID: Foreign Matter
--	---	---




Paulo Gonzalez
Laboratory Director
09/08/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.